



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Pre-Printed Calibration and Testing Labels (B-423, B-428 and B-483)

- **B-423 Polyester Material:** UL recognized for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic.
- **B-428 Metallized Polyester Material:** For barcodes, alphanumerics and graphics that require nameplate-like quality
- **B-483 Gloss Polyester Material:** Permanent rubber-based adhesive for powder-coated and textured surfaces




Figure 51




Figure 52




Figure 54




Figure 79

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester								
Fig. 52	M71-30-423-TEST	B-423	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
B-428 Metallized Polyester								
Fig. 51	M71-30-428-CALI	B-428	Polyester	Light Gray	1.500 (38.1)	0.750 (19.1)	250	M71-R4300
Fig. 53	M71-35-428-PROP	B-428	Polyester	Light Gray	1.630 (41.4)	0.750 (19.1)	250	M71-R4300
B-483 Gloss Polyester								
Fig. 79	M71-38-483-CAUT	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-DANG	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-NOTI	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-WARN	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000

Push-Button Style Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness: 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 22b




Figure 49



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Hole Diameter C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 22b	M71EP-180-593	B-593	Polyester	White	1.890 (48.01)	1.300 (33.02)	-	50	M71-R6000
Fig. 22b	M71EP-182-593	B-593	Polyester	White	2.400 (60.96)	1.900 (48.26)	-	50	M71-R6000
Fig. 49	M71EP-167-593	B-593	Polyester	White	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593	B-593	Polyester	White	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593	B-593	Polyester	White	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593	B-593	Polyester	White	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-BK	B-593	Polyester	Black	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-BK	B-593	Polyester	Black	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-GN	B-593	Polyester	Green	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-GN	B-593	Polyester	Green	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-RD	B-593	Polyester	Red	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-RD	B-593	Polyester	Red	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT

Rectangular Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness is 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 18




Figure 20



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 18	M71EP-171-593	B-593	Polyester	White	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593	B-593	Polyester	White	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593	B-593	Polyester	White	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593	B-593	Polyester	White	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593	B-593	Polyester	White	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593	B-593	Polyester	White	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593	B-593	Polyester	White	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593	B-593	Polyester	White	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593	B-593	Polyester	White	1.900 (48.26)	6.000 (152.4)	25	M71-R6000
Fig. 18	M71EP-171-593-YL	B-593	Polyester	Yellow	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-YL	B-593	Polyester	Yellow	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	6.000 (152.4)	25	M71-R6000
Fig. 18	M71EP-171-593-BK	B-593	Polyester	Black	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-BK	B-593	Polyester	Black	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-BK	B-593	Polyester	Black	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-BK	B-593	Polyester	Black	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-BK	B-593	Polyester	Black	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-BK	B-593	Polyester	Black	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-BK	B-593	Polyester	Black	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-BK	B-593	Polyester	Black	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-BK	B-593	Polyester	Black	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-GN	B-593	Polyester	Green	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-GN	B-593	Polyester	Green	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-GN	B-593	Polyester	Green	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-GN	B-593	Polyester	Green	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-GN	B-593	Polyester	Green	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-GN	B-593	Polyester	Green	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-GN	B-593	Polyester	Green	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-GN	B-593	Polyester	Green	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-GN	B-593	Polyester	Green	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-RD	B-593	Polyester	Red	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-RD	B-593	Polyester	Red	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-RD	B-593	Polyester	Red	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-RD	B-593	Polyester	Red	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-RD	B-593	Polyester	Red	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-RD	B-593	Polyester	Red	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-RD	B-593	Polyester	Red	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-RD	B-593	Polyester	Red	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-RD	B-593	Polyester	Red	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-SL	B-593	Polyester	Silver	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-SL	B-593	Polyester	Silver	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-SL	B-593	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-190-593-SL	B-593	Polyester	Silver	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-SL	B-593	Polyester	Silver	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-SL	B-593	Polyester	Silver	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-SL	B-593	Polyester	Silver	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-SL	B-593	Polyester	Silver	1.900 (48.26)	6.000 (152.4)	25	M71-R6000