

Eaton GDA-100MA

Catalog Number: GDA-100MA

Eaton GDA Series Fast-acting fuse, 0.100A, 250 Vac, 32 Vdc (self certified)



La foto es representativa

General specifications

Product Name	Catalog Number
Eaton Bussmann series GDA fast-acting fuse	GDA-100MA
	UPC
	051712431170
Product Length/Depth	Product Height
20 mm	5 mm
Product Width	Product Weight
5 mm	1 g
Compliances	Certifications
CCC Marked	VDE
CE Marked	
	Catalog Notes
	High breaking capacity

Type

Electronic

Application

Electronic circuits

Amperage Rating

0.100A

Frequency rating - max

50 Hz

Frequency rating - min

50 Hz

Melting (I²T)

Typical: 0.0018 A

Resistance

20 ohms DC cold

Voltage drop

2300 mV typical

Interrupt rating

1.5 kAIC at 250 Vac

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Material

Ceramic tube

Silver-plated endcap construction

Quantity

5

Voltage rating

250 Vac, 32 Vdc (self certified)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Todos los
derechos reservados.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)