

Eaton LP-CC-4

Catalog Number: LP-CC-4

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 4 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc, 200 kAIC at 600 V, Melamine tube, Standard, 10



General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-4
UPC	EAN
051712180320	5704057051187
Product Length/Depth	Product Height
1.5 in	0.41 in
Product Width	Product Weight
0.41 in	0.15 lb
Compliances	Certifications
CE Marked	UL Listed
RoHS Compliant	CSA Certified

Type

Current-limiting time-delay fuse

Special features

Rejection style

Application

Specialized circuits and industrial control

Amperage Rating

4 A

Number of elements

Dual

Class

Class CC

Interrupt rating

20 kAIC at 150 Vdc

200 kAIC at 600 Vac

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 150 Vdc



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Todos los
derechos reservados.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia