

# Product data sheet

Specifications



## Blanking plug, Harmony XB4, round, metal, chromium plated, 22mm

ZB4SZ3

**Product availability:** Stock - Normally stocked in distribution facility

### Main

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| Range of Product                      | Harmony XB4                          |
| Accessory / Separate Part Type        | Blanking plug                        |
| Accessory / separate part category    | Installation accessory               |
| Product or Component Type             | Blanking plug                        |
| Product Compatibility                 | XB4<br>XB5                           |
| Accessory / separate part destination | Ø 22 mm control and signalling units |

### Complementary

|                               |                                                                         |
|-------------------------------|-------------------------------------------------------------------------|
| Material                      | Metal                                                                   |
| Head type                     | Standard                                                                |
| Additional information        | Fixing collar ZB4BZ009 required for mounting must be ordered separately |
| Sale per indivisible quantity | 10                                                                      |
| Net Weight                    | 0.051 lb(US) (0.023 kg)                                                 |
| Shape of signaling unit head  | Round                                                                   |
| Type of operator              | standard handle                                                         |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10CS222469  |
| Discount Schedule | 0CS2          |
| GTIN              | 3389110099577 |
| Returnability     | Yes           |
| Country of origin | FR            |

### Packing Units

|                              |                     |
|------------------------------|---------------------|
| Unit Type of Package 1       | PCE                 |
| Number of Units in Package 1 | 1                   |
| Package 1 Height             | 0.91 in (2.300 cm)  |
| Package 1 Width              | 1.18 in (3.000 cm)  |
| Package 1 Length             | 1.18 in (3.000 cm)  |
| Package 1 Weight             | 0.917 oz (26.000 g) |
| Unit Type of Package 2       | BB1                 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                           |
|------------------------------|---------------------------|
| Number of Units in Package 2 | 10                        |
| Package 2 Height             | 3.54 in (9.000 cm)        |
| Package 2 Width              | 2.76 in (7.000 cm)        |
| Package 2 Length             | 2.76 in (7.000 cm)        |
| Package 2 Weight             | 9.771 oz (277.000 g)      |
| Unit Type of Package 3       | S03                       |
| Number of Units in Package 3 | 400                       |
| Package 3 Height             | 11.81 in (30.000 cm)      |
| Package 3 Width              | 11.81 in (30.000 cm)      |
| Package 3 Length             | 15.75 in (40.000 cm)      |
| Package 3 Weight             | 25.399 lb(US) (11.521 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

| Environmental footprint                        |   |
|------------------------------------------------|---|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 1 |

Use Better


| Materials and Substances               |                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                                                                                                                                                                                                                                                                                                    |
| Packaging without single use plastic   | Yes                                                                                                                                                                                                                                                                                                                                                                    |
| <a href="#">EU RoHS Directive</a>      | Pro-active compliance (Product out of EU RoHS legal scope)                                                                                                                                                                                                                                                                                                             |
| SCIP Number                            | 425812e5-011f-4fb4-ad1b-fc9cf9865300                                                                                                                                                                                                                                                                                                                                   |
| REACH Regulation                       | <a href="#">REACH Declaration</a>                                                                                                                                                                                                                                                                                                                                      |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |

Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features

---

### Features

Harmony XB4



Quick and easy assembly and disassembly



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Excellent mechanical connection with operator head



Large set of accessories to customize your panels



Robustness to withstand harsh environments



Image of product / Alternate images

Alternative

---

