

HTF RSV 16**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Crimping tools for Weidmüller contacts for RSV and DSTV-HD systems**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

Version	Pressing tool, Crimping tool for contacts, FoderBcrimp
Order No.	9013560000
Type	HTF RSV 16
GTIN (EAN)	4008190161163
Qty.	1 pc(s).

HTF RSV 16

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Technical data

Dimensions and weights

Width	205 mm	Width (inches)	8.071 inch
Net weight	457.48 g		

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1	SCIP	b28ab223-64ec-44cf-adb0-4dd6ebcae141
------------	----------------	------	--------------------------------------

Technical data

Description of article	Crimping tools for Weidmüller RSV and DSTV-HD contacts, AWG 26-16	Version	Mechanical, without interchangeable inserts
------------------------	---	---------	---

Description of contact

Conductor cross-section, max. AWG	AWG 16	Conductor cross-section, min. AWG	AWG 26
Type of contact	RSV and DSTV-HD		

tool data crimping

Crimping profile 1, max.	24 AWG	Crimping profile 1, min.	26 AWG
Crimping profile 2, max.	20 AWG	Crimping profile 2, min.	22 AWG
Crimping profile 3, max.	20 AWG	Crimping profile 3, min.	22 AWG
Crimping profile 4, max.	18 AWG	Crimping profile 4, min.	16 AWG
Crimping type/profile	FoderBcrimp		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ECLASS 9.0	21-04-38-11
ECLASS 9.1	21-04-38-11	ECLASS 10.0	21-04-38-11
ECLASS 11.0	21-04-38-11	ECLASS 12.0	21-04-38-11

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity	Declaration of the Manufacturer
Engineering Data	WSCAD
Catalogues	Catalogues in PDF-format
Brochures	

HTF RSV 16

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

Drawings

